

**U.G. 5th Semester Examination 2021**

**MATHEMATICS (General)**

**Paper : DSE-1**

**(CBCS)**

Full Marks : 32

Time : 2 Hours

*The figures in the margin indicate full marks.  
Notations and symbols have their usual meanings.*

**DSE-1A**

**[Abstract & Linear Algebra]**

**Group - A**

**(4 Marks)**

1. Answer any *four* questions : 4×1=4
- (a) Show that the set of vectors  $\{(0, 1, 1), (1, 0, 1), (1, 1, 0)\}$  is linearly independent in  $\mathbb{R}^3$ .
  - (b) State Cayley-Hamilton theorem for a square matrix.
  - (c) Find the eigenvalues of the matrix :  $A = \begin{pmatrix} 0 & -1 \\ 1 & 0 \end{pmatrix}$ .
  - (d) What is the order of the symmetric group  $S_n$ ?
  - (e) Let  $T : \mathbb{R} \rightarrow \mathbb{R}$  defined by  $T(x) = x^2$ . Is T a linear transformation?
  - (f) Find all the unit elements in the ring  $(\mathbb{Z}_8, +, \dots)$ .
  - (g) Find the power set of the set  $S = \{1, 2, 3\}$ .

**Group - B**

**(10 Marks)**

Answer any *two* questions :

2×5=10

2. (a) Let  $f: \mathbb{R} \rightarrow \mathbb{R}$  defined by  $f(x) = 5x + 1$ . Examine if  $f$  is a bijective function.
- (b) A relation  $\rho$  is defined on the set  $\mathbb{Z}$  by “ $a\rho b$  if and only if  $a - b$  is divisible by 5” for  $a, b \in \mathbb{Z}$ . Examine if  $\rho$  is an equivalence relation on  $\mathbb{Z}$ . 2+3
3. Prove that the set  $\mathbb{Z}_5 = \{\bar{0}, \bar{1}, \bar{2}, \bar{3}, \bar{4}\}$  forms a group with respect to addition modulo 5. 5
4. Show that  $T: \mathbb{R}^3 \rightarrow \mathbb{R}^3$  defined by  $T(x, y, z) = (x + y, y + z, z + x), (x, y, z) \in \mathbb{R}^3$  is a linear transformation. Find  $\text{Ker}T$  and  $\text{Im}T$ . 5
5. Find the eigenvalues and the corresponding eigenvectors of the matrix :
- $$\begin{pmatrix} 1 & -1 & 2 \\ 2 & -2 & 4 \\ 3 & -3 & 6 \end{pmatrix}$$
- 5

**Group - C**

**(18 Marks)**

Answer any *two* questions :

2×9=18

6. (a) Prove that the characteristic of an integral domain is either zero or a prime number. 5
- (b) A linear transformation  $T: \mathbb{R}^3 \rightarrow \mathbb{R}^2$  is defined by

$$T(x, y, z) = (x + y, y + z), (x, y, z) \in \mathbb{R}^3$$

Find the matrix of  $T$  relative to the ordered bases  $\{(1, 0, 0), (0, 1, 0), (0, 0, 1)\}$  of  $\mathbb{R}^3$  to the ordered bases  $\{(1, 0), (0, 1)\}$  of  $\mathbb{R}^2$ . 4

7. (a) Use Cayley-Hamilton theorem to find  $A^{50}$ , where  $A = \begin{pmatrix} 1 & 1 \\ 0 & 1 \end{pmatrix}$ . 5

(b) Prove that the set  $S = \left\{ \begin{pmatrix} a & b \\ c & d \end{pmatrix} : a + b + c + d = 0 \right\}$  is a subspace of  $M_2(\mathbb{R})$ . 4

8. (a) Prove that the function  $\langle \cdot, \cdot \rangle : \mathbb{R}^2 \times \mathbb{R}^2 \rightarrow \mathbb{R}$  defined by

$$\langle \mathbf{u}, \mathbf{v} \rangle = 2u_1v_1 + u_1v_2 + u_2v_1 + u_2v_2 \text{ for all } \mathbf{u}, \mathbf{v} \in \mathbb{R}^2.$$

where  $\mathbf{u} = (u_1, u_2)$  and  $\mathbf{v} = (v_1, v_2)$  is an inner product on  $\mathbb{R}^2$ . 4

(b) Prove that a field is an integral domain. Give an example of an integral domain which is not a field. 4+1

---

**DSE-1B**  
**[Differential Equation II & Mechanics]**

Full Marks : 32

Time : 2 Hours

*The figures in the margin indicate full marks.  
Notations and symbols have their usual meanings.*

**Group - A**

**(4 Marks)**

1. Answer any **four** questions : 4×1=4
- (a) Determine whether  $x = 0$  is an ordinary point or regular singular point of the differential equation  $2x^2 D^2 y + 7x(x+1) Dy + 3y = 0$ ,  $D \equiv \frac{d}{dx}$ .
  - (b) Solve  $xp - yq = xy$  by Lagrange's method.
  - (c) Obtain partial differential equation from  $z = f(\sin x + \cos y)$ .
  - (d) The velocity of a particle moving in a straight line at any time instant 't' when its distance from the origin  $x$ , is given by  $x = \frac{1}{2}v^2$ . Show that the acceleration of the particle is constant.
  - (e) Find a complete integral of  $z = pq$ .
  - (f) What is degrees of freedom.
  - (g) What is the order of the equation  $xy^3 \left( \frac{\partial y}{\partial x} \right)^2 + yx^2 + \frac{\partial y}{\partial x} = 0$ ?

**Group - B**

**(10 Marks)**

Answer any *two* questions :

2×5=10

2. Find the power series solution of the equation  $(x^2 + 1)y'' + xy' - xy = 0$  in powers of  $x$ .  
(about a point  $x = 0$ )
3. Use charpits method, find a complete integral of  $pxy + pq + qy - yz = 0$ .
4. A particle is projected vertically upwards with a velocity  $v$  from earths surface. If  $h$  and  $H$  be the greatest heights attained by the particle moving under uniform and variable accelerations respectively. Then show that  $\frac{1}{h} - \frac{1}{H} = \frac{1}{R}$ , where  $R =$  radius of earth.
5. Let  $t_1$  and  $t_2$  be the periods of vertical oscillations of two different weights suspended by an elastic string and  $c_1$  and  $c_2$  be the statical extensions due to these weights. Prove that  $g(t_1^2 - t_2^2) = 4\pi(c_1 - c_2)$ .

**Group - C**

**(18 Marks)**

Answer any *two* questions :

2×9=18

6. (a) A particle moves under a force  $m\mu\{3au^4 - 2(a^2 + h^2)u^5\}$  ( $a > b$ ) and is projected from an apne at a distance  $a + b$  with velocity  $\frac{\sqrt{\mu}}{a+b}$ . Show that its orbit  $r = a + b \cos \theta$ .
- (b) The middle points of opposite sides of quadrilateral formed by four freely jointed weightless bars are connected by two light rods of lengths  $l$  and  $l'$  in a state of tension. If  $T, T'$  be the tension in these rods prove that  $\frac{T}{l} + \frac{T'}{l'} = 0$ . 5+4

7. (a) Find the complete solution of the equation  $z = px + qy + p^2 + q^2$  by Charpit's method. 5

(b) Find the eigen value and corresponding eigen functions of  $\frac{d^2y}{dx^2} + \lambda y = 0$  ( $\lambda > 0$ ) with the boundary conditions  $y(0) = 1, y'(\pi) = 0$ . 4

8. (a) If the radial and cross radial velocities of a particle be respectively  $\mu\theta$  and  $\lambda r$ . Show that the path of a particle can be represented by an equation of the form  $r = A\theta^2 + B$ . 5

(b) A particle describe a parabola  $r = a \sec^2\left(\frac{\theta}{2}\right)$  such that cross-radial velocity is constant. Show that  $\frac{d^2r}{dt^2}$  is constant. 4

---

