UG/1st Sem/MTM/H/21/CBCS

## UG 1st Semester Examination 2021 MATHEMATICS (Honours) Paper : DC-2 [Algebra]

(CBCS)

Full Marks : 32

Time : 2 Hours

The figures in the margin indicate full marks. Notations and symbols have their usual meanings.

Group - A

## (4 Marks)

- 1. Answer any *four* questions :
  - (a) State the De Moivre's theorem.
  - (b) Prove that  $e^n > \frac{(n+1)^n}{n!}$ , where  $n \in \mathbb{N}$ .
  - (c) Show that a polynomial of odd degree with real coefficients must have at least one real root.
  - (d) Let *X* and *Y* be two finite sets having *m* and *n* elements respectively. What will be the number of distinct relations that can be defined from *X* to *Y*?
  - (c) If  $a \mid c$  and  $b \mid c$  with gcd(a, b) = 1, show that  $ab \mid c$ .
  - (f) Find the value of *a* and *b* so that the four vectors (1, 1, 0, 0), (1, 0, 0, 1), (1, 0, *a*, 0), (0, 1, *a*, *b*) are linearly independent.
  - (g) The matrix  $\begin{pmatrix} 2 & 3 \\ 1 & 4 \end{pmatrix}$  has two eigen values 1 and 5. Find the eigen vector corresponding to the eigen value 5.

 $1 \times 4 = 4$ 

## Group - B

## (10 Marks)

2×5=10 Answer any *two* questions : Express  $\frac{-1+i\sqrt{3}}{1+i}$  in polar form and then deduce the value of  $\cos\frac{5}{12}\pi$ . 2. 5 If  $a_1, a_2, \dots, a_n$  be n positive numbers and  $a_n a_{n-1} = 1$ , then show that 3.  $\left(\frac{a_1 + a_2 + a_3 + \dots + a_n}{n}\right)^n \ge \left(\frac{a_1 + a_2 + a_3 + \dots + a_{n-2}}{n-2}\right)^{n-2}.$ 5 Solve  $x^3 - 6x - 9 = 0$  by Cardan's method. 5 4. Let  $S = \{x \in \mathbb{R} : -1 < x < 1\}$  and  $f : \mathbb{R} \to S$  be defined by  $f(x) = \frac{x}{1+|x|}, x \in \mathbb{R}$ . Show 5. that f is a bijection. Determine  $f^{-1}$ . 5 Group - C (18 Marks) Answer any *two* questions :  $2 \times 9 = 18$ (a) Let  $f: A \to B$  be a bijective mapping. Then show that the mapping  $f^{-1}: B \to A$ 6. is also a bijection and  $\left(f^{-1}\right)^{-1} = f$ . 4 Satate the Fundamental theorem of arithmetic. Find the G.C.D of 792 and 385 (b) and express it in the form 792l + 385m. 2 + 37. Prove that the eigen vectors corresponding to two distinct eigen values of a real (a) symmetric matrix are orthogonal. 4 (b) If  $A = \begin{pmatrix} 1 & 0 & 2 \\ 0 & -1 & 1 \\ 0 & 1 & 0 \end{pmatrix}$ , then verify that A satisfies its own characteristic equation.

Hence find  $A^9$ . Find also  $A^{-1}$ .

5

8. (a) If  $\alpha$ ,  $\beta$ ,  $\gamma$  be the roots of the equation  $x^3 + px^2 + qx + r = 0$ , then find the value of  $\begin{pmatrix} 1 & 1 & 1 \end{pmatrix} \begin{pmatrix} 1 & 1 & 1 \end{pmatrix} \begin{pmatrix} 1 & 1 & 1 \end{pmatrix} \begin{pmatrix} 1 & 1 & 1 \end{pmatrix}$ 

$$\left(\frac{1}{\beta} + \frac{1}{\gamma} - \frac{1}{\alpha}\right) \left(\frac{1}{\gamma} + \frac{1}{\alpha} - \frac{1}{\beta}\right) \left(\frac{1}{\alpha} + \frac{1}{\beta} - \frac{1}{\gamma}\right).$$
4

(b) If  $x = \cos \theta + i \sin \theta$ ,  $y = \cos \phi + i \sin \phi$ , then prove that  $\frac{x^m}{y^n} + \frac{y^n}{x^m} = 2\cos(m\theta - n\phi)$ , where *m* and *n* are integers. 5